

FLANK PAIN RADIOLOGIST CHECKLIST

| CT Finding | Disease |
|---|---|
| Radio-opaque calculi; if obstructing: | Stone disease |
| hydronephrosis; perinephric stranding. | |
| Perinephric stranding. | If hydronephrosis: obstruction (typically from |
| | stone disease. If no hydronephrosis: pyelonephritis |
| Rib fracture; discontinuous kidney with peri-renal | Post-traumatic fracture or renal hematoma. |
| density (hematoma). | |
| Bowel wall thickening; periappendiceal or pericolic | Appendicitis, diverticulitis, or Crohn disease |
| fluid and fat stranding; free air if perforated. | (depending on location of bowel disease) |
| Dilated collecting system. | Renal obstruction; look for cause at transition point |
| | (stone disease, tumor). |
| Enlarged kidneys with multiple well defined low | Polycystic kidney disease |
| density regions. | |
| Renal mass; lymphadenopathy if mets. | Renal cancer |
| Dilated aorta; peri-aortic fluid and fat stranding. | Aortic aneurysm rupture |
| Disc narrowing or abnormal contour. | Disc disease |
| Decreased vertebral body height | Vertebral fracture |
| Abnormal disc contour | Disc herniation |



DICTATION TEMPLATE WITH PROMPTS FOR UNENHANCED ABDOMEN AND PELVIS CT PERFORMED FOR FLANK PAIN

CT ABDOMEN AND PELVIS UNENHANCED INDICATION: [] COMPARISON: [] TECHNIQUE: [] INTERPRETATION: Lung bases: [] Musculoskeletal structures: [Loss of vertebral body height and/or fracture line (fracture). Rib fracture line. Abnormal disc contour with neural compression (disc herniation). Facet arthropathy with soft tissue density causing neural compression (synovial cyst).] Liver: [] Spleen: [] Gallbladder: [] Hepatobiliary tree: [] Pancreas: [] Kidneys: [Renal, ureteral, or bladder calcification (stone disease). Hydronephrosis (from obstruction). Perinephric stranding (from obstruction or infection). Enlarged kidneys with multiple cysts (autosomal polycystic kidney disease). Renal mass (hematoma, renal cancer).] Adrenals: [<Normal.>] Vasculature: [Dilated aorta (aortic aneurysm). Peri-aortic fluid or fat stranding (aortic rupture).] Lymphatics/retroperitoneum: [Multiple enlarged lymph nodes (lymphadenopathy from renal cancer).] Bowel: [Swelling or thick wall of the appendix and peri-appendiceal fat stranding (appendicitis). Diverticula and thick wall of the colon with peri-colic fat stranding (diverticulitis). Thick-walled small bowel loops with peri-enteric fat stranding (Crohn disease).] Peritoneal cavity: [] Abdominal wall:] Pelvis: [Bladder calcification (stone disease). Bladder mass causing hydronephrosis (bladder cancer).]

IMPRESSION: []

[&]quot;RC Flank pain", available at www.symptombasedradiology.com; Last updated: 10/15/16



DICTATION TEMPLATE WITH PROMPTS FOR ULTRASOUND PERFORMED FOR FLANK PAIN

| ULTRASOUND ABDOMEN |
|---|
| INDICATION: [] |
| COMPARISON STUDIES: [] |
| TECHNICAL INFORMATION: []. |
| INTERPRETATION: |
| Right kidney: [Renal or proximal ureteral hyperechoic, shadow-casting focus (stone disease). Hydronephrosis (from obstruction). Increased flow on color or power Doppler (infection). Enlarged kidneys with multiple cysts (autosomal polycystic kidney disease). Renal mass (hematoma, renal cancer).] |
| Left kidney: [Renal or proximal ureteral hyperechoic, shadow-casting focus (stone disease). Hydronephrosis (from obstruction). Increased flow on color or power Doppler (infection). Enlarged kidneys with multiple cysts (autosomal polycystic kidney disease). Renal mass (hematoma, renal cancer).] |
| Bladder: [Hyperechoic, shadow-casting focus (stone disease). Bladder mass with hydronephrosis (bladder cancer).] |
| IMPRESSION: [] |

[&]quot;RC Flank pain", available at www.symptombasedradiology.com; Last updated: 10/15/16